

MODULAR INDIRECT

6542740

MOD./POL. IND. 2X36W TC-L /HF



Description:

Recessed luminaire to install on the ceiling with indirect radiation model MODULAR INDIRECT by LAMP. Made of matt white-lacquered steel plate, with micro-perforated sheet metal diffuser and asymmetric reflectors designed to catch all possible light. Electronic control gear. For 2 TC-L, 36W.


Finish: Matte white

Weight 4.880 g

Installation: RECESSED

Lamp:

Power	Frequency	Lampholder	Lamp	NºLEDs-model	° K	CRI
2X36W	230V-50HZ	2G11	TC-L			



Gear:

Type: Electronic

Ignitions: 1

Technical features:




Quality certificates:



Photometrical data:

H (m)	D (m)	E _{max}	E _{med}	Diagram	Beam Angle	Technical Data
1	2,69	1452	500			<p>6542740 $\eta = 61\%$ $I_{max} = 255 \text{ cd/klm}$ UTE: 0,61D CIE: 56 90 100 100 61</p>
2	5,38	363	125			
3	8,07	161	56			
4	10,76	91	31			

Assembly

Product code: 6507400 **Description:** ADJUST. CEILING SUPPORT BRACKETS MOD T8



Product code: 6507420 **Description:** INTERMEDIATE JOINT MOD/POL LUM. C L

