

6941263 DUNE LEDS 48 LEDS NW 350MA CLASS I GR.



Description:

Standard street luminaire to adapt to lighting pole/column DUNE LEDS LAMP brand. Made of textured grey lacquered aluminium injection and textured graphite. With tempered flat glass. Class I. For 48 neutral white LEDs powered at 350mA. With total consumption of 61W.

Finish: Textured dark gray + Textured grey


Weight 8.534 g

LED's Lifetime: >50.000

Tj: 48 °C

Maximum surface exposed to wind: 0,06 M2

Installation: Integrated in light-pole



Lamp:

Power	Frequency	Lampholder	Lamp	NºLEDs-Model-Brand	° K	CRI
50W	198-265V 50-60Hz		LED	48 CREE XP-E	4650	70

Gear:

Type: Electronic

Ignitions: 1

Plum: 61W


Technical features:



Quality certificates:



Photometrical data:



Light output: 3.535 lm

FHS: 0 %

Assembly**Product code: Description:**

9605873	GALVANIZED CONICAL COLUMN 4M V2010
9606873	GALVANIZED CONICAL COLUMN 6M V2010
9607873	GALVANIZED CONICAL COLUMN 8M V2010
9608873	GALVANIZED CONICAL COLUMN 10M V2010

Support**Product code: Description:**

9607343	WALL SUPPORT ECO-DUNE 1M GREY
---------	-------------------------------

